

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	573	702/57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:59
L10	259	circuit\$1 near5 analy\$5 with transmission near5 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:04
L11	9	10 and (coupling near5 factor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:03
L12	9	11 and (source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:03
L13	5	11 and (source\$1 with line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:03
L14	43	(source\$1 with line\$1 with coupling with factor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:04
L15	449667	(circuit\$1 or line\$1) with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:03
L16	1641	((determin\$3 or detect\$3 or judg\$3 or identify\$3 or establish\$3 or ascertain\$3) near5 source\$1 with transmission with (circuit\$1 or line\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:03
L17	18	((determin\$3 or detect\$3 or judg\$3 or identify\$3 or establish\$3 or ascertain\$3) near5 source\$1 with transmission with (circuit\$1 or line\$1) with factor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:05

L18	117	(coupling near5 factor\$1) with (transmission near5 (line\$1 or circuit\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:06
L19	41	18 and (factor\$1 with (source\$1 or power or voltage\$1) with (line\$1 or circuit\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:07
L20	3	19 and ((waveform\$1 or spectr\$3 or Fourier or frequency) with analy\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:07
L21	8	19 and (waveform\$1 or spectr\$3 or Fourier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:07
L22	4	("5309024" "5543661").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:08
L23	15	((coupling adj factors) or ratios) with (transmission adj line\$1) with (sources or supplies or voltages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:09
L24	11520	((coupling adj factors) or ratios) with (sources or supplies or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:39
L25	1010	((coupling adj factors) or ratios) with (sources or supplies or voltage) with (transmission or lines or circuits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:09
L26	306	24 and (transmission adj lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:10

L27	1	24 and (transmission adj lines) with ((transient or time or frequency or spectr\$3 or waveform or Fourier) near\$5 analy\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:13
L28	1709	((coupling adj factors) or ratios) with (sources or supplies or voltage) with (determin\$3 or detect\$3 or identify\$3 or establish\$3 or judg\$5 or ascertain or distinguish\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:11
L29	80	28 and (transmission adj lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:11
L30	3	((coupling adj factors) or ratios) with (sources or supplies or voltage) with (determin\$3 or detect\$3 or identify\$3 or establish\$3 or judg\$5 or ascertain or distinguish\$3 or eliminat\$3 or influenc\$3 or impact\$3) with (transmission adj lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:12
L31	5	((coupling adj factors) or ratios) with (transmission adj lines) same (sources or supplies or voltage) with (determin\$3 or detect\$3 or identify\$3 or establish\$3 or judg\$5 or ascertain or distinguish\$3 or eliminat\$3 or influenc\$3 or impact\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:12
L32	62	((coupling adj factors) or ratios) same (sources or supplies or voltage) with (determin\$3 or detect\$3 or identify\$3 or establish\$3 or judg\$5 or ascertain or distinguish\$3 or eliminat\$3 or influenc\$3 or impact\$3) same (transmission adj lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:35
L33	6	(coupling adj factors) with (transmission adj lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:13
L34	24	victim adj line\$1 same aggressor adj line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:36
L35	6	34 and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:36

L36	3472	((determin\$3 or detect\$3 or identify\$3 or establish\$3 or distinguish\$3) near5 (source\$1 or voltage or supplies)) with transmission near5 (circuit\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:37
L37	2	36 and (waveform\$1 or spectr\$3) with (iterat\$3 or convergen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:37
L38	13	(transmission adj lines) with (transient or time or frequency or spectr\$3) and (waveform\$1 or spectr\$3) with (iterat\$3 or convergen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:41
L39	86	24 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:40
L40	46	39 and (transmission adj lines) with (transient or time or frequency or spectr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:41
L41	8	40 and waveform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:42
L42	9	40 and waveform\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:43
L43	280	((((determin\$3 or detect\$3 or identify\$3 or establish\$3 or distinguish\$3) near5 (source\$1 or voltage or supplies)) with transmission near5 (circuit\$1 or line\$1)) same (factor\$1 or ratio\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:43
L44	39	((((determin\$3 or detect\$3 or identify\$3 or establish\$3 or distinguish\$3) near5 (source\$1 or voltage or supplies)) with transmission near5 (circuit\$1 or line\$1)) same ((factor\$1 or ratio\$1) with coupl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:44

L45	39	8 and (transmission with lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:25
L46	2	45 and (coupl\$3 with factor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 11:45
L47	22	(determin\$3 or calculat\$3 or estimat\$3 or obtain\$3 or establish\$3) with (coupl\$3 near3 factor\$1) with (transmission near3 (circuit\$1 or line\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 13:41
L48	2	"5625328".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:24
L49	576	333/116.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:24
L50	256	49 and (transmission with lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:26
L51	302	702/58.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:25
L52	667	327/551.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:25
L53	166	700/292.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:25

L54	50	51 and (transmission with lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:26
L55	22	52 and (transmission with lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:26
L56	44	53 and (transmission with lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:26